
MARQUARDT

STANDARD SWITCHES



APPLIANCE SWITCHES

ROCKER SWITCHES



SERIES 1900

single pole, without indicator lamp
6 (2) A 250 V~

appliance cut-out: 19,2 x 6,8 mm
23,2 x 6,8 mm
30,0 x 6,8 mm



SERIES 1800

single pole and double pole
with and without indicator lamp
12 (4) A 250 V~

appliance cut-out: 19,2 x 12,9 mm
19,2 x 21,9 mm



SERIES 1830

single pole and double pole
with and without indicator lamp
20 (4) A 250 V~

appliance cut-out: 30 x 11 mm
30 x 22 mm



SERIES 1930

double pole
with and without indicator lamp
with dust and water proofing
20 (4) A 250 V~

appliance cut-out: 30 x 22 mm



SERIES 1855

double pole
with indicator lamp
4 (1) A 250 V~

appliance cut-out: 19,2 x 12,9 mm



SERIES 1858

double pole
without indicator lamp
10 (4) A 250 V~

appliance cut-out: 19,2 x 12,9 mm



SERIES 1550

single pole and double pole
with and without indicator lamp
16 (4) A 250 V~

appliance cut-out: 27,2 x 12,2 mm

APPLIANCE SWITCHES


PUSH BUTTON SWITCHES



SERIES 1840

single pole
6 (4) A 250 V~


appliance cut-out: Ø 12 mm



SERIES 1680

single pole and double pole
for direct and indirect actuation
12 (8) A 250 V~

dimensions: 18,5 x 19 x 13 mm
appliance cut-out: 19,2 x 12,9 mm



SERIES 1660 / 1670

single pole and double pole
with and without indicator lamp
16 (4) A 250 V~

appliance cut-out: 30,0 x 22,2 mm

SLIDE SWITCHES




SERIES 4021

double pole
2 (0,5) A 250 V~

dimensions: 14 x 26 x 16,5 mm
(H x W x D)

ROTARY SWITCHES



SERIES 1703

single pole up to four pole
20 (4) A 400 V~

dimensions: 26 x 33 x 46 mm

TOGGLE SWITCHES



SERIES 1810 / 1820

single pole and double pole
up to 10 (4) A 250 V~

appliance cut-out: Ø 12 mm resp.
19,2 x 12,9 mm
19,2 x 21,9 mm

FOOT SWITCHES



SERIES 2410

single pole and double pole
6 (2,5) A 250 V~

dimensions: 39 x 102 x 198 mm

SNAP ACTION SWITCHES

ENCLOSED SNAP ACTION SWITCHES




SERIES 1056

change-over
up to 4 A 12 V resp. 2 A 24 V
protection type IP 40
dimensions: 8 x 13 x 6,3 mm
(H x W x D)



SERIES 1055

change-over
up to 4 A 12 V resp. 2 A 24 V,
dust and water proofing
according to IP 67
dimensions: 8 x 13 x 6,3 mm



SERIES 1058

change-over, normally open and
normally closed
up to 4 A 12 V resp. 2 A 24 V,
dust and water proofing
according to IP 67
dimensions: 13 x 14,4 x 6,3 mm




SERIES 1050

change-over, normally open and
normally closed
up to 10 (1,5) A 250 V~
size DIN 41635 Design B
protection type IP 40
dimensions: 10 x 19,8 x 6,4 mm



SERIES 1080 AND 1085

change-over, normally open and
normally closed
up to 21 (8) A 250 V~ 10E3
size DIN 41635 Design A
protection type IP 40
dimensions: 15,9 x 27,8 x 10,3 mm



SERIES 1004, 1005 AND 1006

change-over, normally open and
normally closed
up to 21 (8) A 250 V~ 25E3
size DIN 41635 Design A
protection type IP 40
dimensions: 16 x 28 x 10,3 mm



SERIES 1019

normally open and normally closed
for 6 (2) A 250 V~
with or without lever
dimensions: 17,8 x 22 x 9 mm

SNAP ACTION SWITCHES

ENCLOSED SNAP ACTION SWITCHES




SERIES 1022

change-over, normally open and normally closed
up to 4 A 12 V resp. 2 A 24 V
dust and water proofing according to IP 67
dimensions: 12,3 x 20 x 6,9 mm



SERIES 1117

normally open and normally closed
for 16 (6) A 400 V~
dimensions: 30 x 30 x 13 mm



SERIES 1040

change-over and normally open
up to 4 (1) A 250 V~
with rotary shaft actuation
dimensions: 17,5 x 32 x 12 mm

OPEN SNAP ACTION SWITCHES



SERIES 1019

normally open and normally closed
for 6 (2) A 250 V~
with or without lever
dimensions: 15 x 20 x 7 mm



SERIES 1010

change-over, normally open and normally closed
up to 10 (3) A 250 V~
size DIN 41635 Design C
dimensions: 15 x 19 x 5 mm


BI-STABLE SNAP ACTION SWITCHES



SERIES 1011

DT-switches
up to 6 (2) A 250 V~
dimensions: 15 x 25 x 8 mm

OPEN LEAF SWITCHES



SERIES 1017

change-over and normally open
up to 100 mA 24 V
dimensions: 15 x 18 x 5 mm

MINIATURE SWITCHES

TOGGLE SWITCHES



SERIES 9400

single pole and double pole
washable
0,4 VA 28 V AC/DC
dimensions: 7,0 x 7,0 x 4,5 mm
(H x W x D)



SERIES 9040

single pole and double pole
sealed terminals
5 A 48 V AC
dimensions: 18,3 x 13,0 x 12,7 mm

KEY LOOK SWITCHES



SERIES 9501

single pole DT-switches
washable
0,4 VA 28 V AC/DC
dimensions: 21,0 x 16,3 x 15,74 mm



SERIES 9500

single pole DT-switches
sealed terminals
1 A 250 V AC
dimensions: 25,5 x 14,0 mm
(H x Ø)

TOGGLE AND ROCKER SWITCHES



SERIES 9055

single pole and double pole
sealed terminals
5 A 48 V AC resp. 4 A 30 V DC
dimensions: 16,5 x 13,0 x 12,7 mm



SERIES 9065

single pole and double pole
sealed terminals
5 A 48 V AC resp. 4 A 30 V DC
dimensions: 13,8 x 13,0 x 12,7 mm

PUSH BUTTON SWITCHES



9450

single pole and double pole
washable
0,4 VA 28 V DC
dimensions: 7,0 x 7,0 x 4,5 mm

MINIATURE SWITCHES


PUSH BUTTON SWITCHES



SERIES 9050


single pole and double pole
sealed terminals
3 A 48 V AC resp. 3 A 30 V DC
dimensions: 19,9 x 13,0 x 12,7 mm
(H x W x D)

SLIDE SWITCHES



SERIES 9078

single pole and double pole
sealed terminals
100 mA 30 V DC
dimensions: 4,5 x 10,2 x 6,0 mm



SERIES 9300

single pole and double pole
sealed terminals
5 A 48 V AC resp. 4 A 30 V DC
dimensions: 8,0 x 12,7 x 11,9 mm

ROTARY SWITCHES



SERIES 9038

single pole, double pole and four pole
with water proofing
0,4 VA 28 V DC
Dimensions: 8,2 x 14,0 mm
(H x Ø)



SERIES 9033

single pole, double pole and four pole
with water proofing
0,5 A 48 V AC resp. 0,25 A 30 V DC
dimensions: 22,0 x 16,0 mm
(H x Ø)

CODING SWITCHES



SERIES 9700

Coded BCD or HEX
washable
100 mA 5 V DC
dimensions: 5,9 x 10,0 x 10,0 mm

KEYMODULES

KEYMODULES WITH LED



SERIES 6425

single pole normally open with LED
voltage 28 V max.
current 100 mA max.
appliance cut-out: □ 13,55 mm

KEYMODULES WITHOUT LED



SERIES 6425

single pole normally open without LED
voltage 28 V max.
current 100 mA max.
appliance cut-out: □ 13,55 mm



SERIES 6450

single pole normally open
voltage 28 V max.
current 100 mA max.
appliance cut-out: 11,0 x 13,55 mm

KEYCAPS FOR KEYMODULES SERIES 6425



SERIES 826

spacing: □ 16 mm and □ 19 mm
colours: black, grey, red and green



SERIES 840

spacing: Ø 17 mm
colours: black and grey



SERIES 842 / 844

spacing: 16 mm and 19 mm
colours: anthracite, dark grey and grey

guide mechanism for multiple keycaps
on request



SERIES 829

spacing: □ 16 mm and □ 19 mm with
LED window
colours: black, grey, red and green

FAX BACK ENQUIRY

From:

Name:

Company:

Department:

Adress:

Phone:

Fax:

eMail:

Internet:

Please send us detailed information about:

appliance switches

snap action switches

keymodules

miniature switches

Please contact us by phone.

To :

Marquardt GmbH, Plant Böttingen
Spaichinger Weg 1, 78583 Böttingen
Phone ++49 (74 29) 94 03-0
Fax ++49 (74 29) 94 03-261
www.marquardt.de, marquardt@marquardt.de



MARQUARDT

THE MARQUARDT GROUP

GERMANY

Marquardt GmbH
Schloss-Str. 16
78604 Rietheim-Weilheim
Phone ++49 (74 24) 99-0
Fax ++49 (74 24) 99-23 99
www.marquardt.de
marquardt@marquardt.de

Marquardt GmbH
Plant Böttingen
Spaichinger Weg 1
78583 Böttingen
Phone ++49 (74 29) 94 03-0
Fax ++49 (74 24) 94 03-260
www.marquardt.de
marquardt@marquardt.de

Hans Koch GmbH & Co. KG, Trossingen

FRANCE

Marquardt France S.A.R.L.
520, avenue Blaise Pascal - Lot n° 4
77557 Moissy Cramayel Cedex
Phone ++33 (1) 64 13 60 70
Fax ++33 (1) 64 13 60 71
info@marquardt.fr

SWITZERLAND

Marquardt Verwaltungs-GmbH
Zweigniederlassung Schaffhausen
Ernst Müller-Str.7
Postfach 952
CH-8201 Schaffhausen
Phone ++41 (52) - 644 30 00
Fax ++41 (52) - 644 30 60
www.marquardt.ch
marquardt@marquardt.ch

USA

Marquardt Switches Inc.
2711 Route 20 East
Cazenovia, NY 13035-0465
Phone ++1 (3 15) 6 55 80 50
Fax ++1 (3 15) 6 55 80 42
www.switches.com
info@marqswitch.com

Marquardt Switches Inc.
Automotive Products Group
122 Centre Road
Auburn Hills, MI 48326
Phone ++1 (2 48) 3 77 31 01
Fax ++1 (2 48) 3 77 31 09
www.switches.com
info@marqswitch.com

TUNISIA

S.A.E.E., La Soukra, Tunis

CHINA

Marquardt Switches (Shanghai) Co., Ltd.
No. 458 Qingda Road
Heqing Industrial Zone
Shanghai (Pudong) 20 12 01
Phone ++86 (21) 58 97 33 02
Fax ++86 (21) 58 97 23 99
mscsh@marquardt.com.cn

INDIA

RGK Controls & Components Pte. Ltd.
21, Govt. Industrial Estate
Kandivli (West) - Mumbai 400 067
Phone ++91 (22) 8 68 45 19
Fax ++91 (22) 8 68 85 10
www.rgkswitches.com
sales@rgkswitches.com

PRODUCT RANGE

SWITCHES AND SWITCHING SYSTEMS FOR AUTOMOBILES

Rocker, toggle and push button switches, bus-capable switches, multifunctional switches, control panels, control devices, electronic keys, electronic ignition starter switches, Keyless Go systems, electronic steering locks

POWER TOOL SWITCHES

Mechanical and electronic switches and switching systems for DC and AC electrical power tools

APPLIANCE SWITCHES

Rocker switches, toggle switches, slide switches, push button switches, rotary multistep switches, foot switches and pilot lights

SNAP ACTION SWITCHES

Open, enclosed and bistable snap action switches, open leaf switches, snap action switches with dust and splash water protection

SENSORS AND SYSTEM SOLUTIONS

Flow sensors, turbidity sensors, displacement sensors, automatic control systems



MARQUARDT